



INDRAPRASTHA GAS LIMITED
IGL Bhawan, 4, Community Center, Sector-9, R.K. Puram, New Delhi - 110022

CP18278-SUPPLY OF DOMESTIC REGULATORS

REPLIES TO BIDDER QUERIES OF MEETING DATED 08.01.2025

Sr. No.	Tender clause No.	IGL specification & Requirements	Bidder Query	IGL Reply
1	Page 13	Droop for regulator shall not be more than 5 % over set point.	The Accuracy Class of Regulator is related to Droop of Regulator. So if AC 10 of Regulator is accepted, it means the outlet pressure can vary +/-10% upto the rated flow capacity, thus a Droop of 10% should also be acceptable.	Tender conditions prevail. Droop of regulator is defined for factory set point range for outlet pressure in minimum to maximum flow condition. Whereas accuracy class is for range of acceptance range for all criterion. Pl. refer datasheet of tender.
2	Page 22	In QAP the Certificate for Degree of Protection is required to be submitted.	The Degree of Protection or IP rating is a rating provided to Electrical Devices only. We request to kindly exclude this requirement or please provide additional information if our understanding of the specification is not correct.	Tender Condition Prevail. For more clarification please refer earlier uploaded RTBQ of IGL tender IGL/ET2/CP/CP18278 on IGL Website.
3	Page 20	Point no. 8 : If Zamak-3 or die cast aluminium alloy used as body material of domestic regulator, coating is not required but it should be weatherproof & corrosion resistant to sustain it's life period of 20 years.	In case of Aluminium Die casting, when the metal comes in contact with moisture in environment it naturally oxidises and create a thin powder like coating on the body called White rust. But unlike Ferrous rust, the white rust act as a protective layer to Aluminium Metal and avoids further corrosion. Thus, for all applications excluding decorative items, it is a standard practice to not paint or quote Aluminium products. MADAS warranties that the Product bodies can work satisfactorily till 20 years even after formation of Aluminium rust coating on the surface. Request a confirmation that Bare Aluminium Casting and white rust formation on surface will be acceptable in the future.	Tender condition prevails. Pl refer datasheet of tender.