

| (she<br>have | ONEW DELL  | APPICY 01 Nos.  | > 6-30 ± 0.2 >120-315 ± 0.5<br>DATE ANGULAR + 1*  | REV.No REVISION BY DA  |
|--------------|--|---|---|--|
|              | DRAWING No. IGL/MIS-108<br>INDRAPRASTHA GAS LTD, | By Rightman NY  | OPEN TOLERANCE<br>0.5-6 ± 0.1 > 30-120 ± 0.3  |  |
| CALE         |  | TTAN NAN MAN  |   |  |
|              | J Bush for DR Comp. Pulley                       | TREATMENT   | THIS DRAWING IS THE PROPERTY<br>OF INDRAPRASTIA GAS LIMITED.<br>UNAUTHORISED DISCLOSURE OF<br>ITS CONTENTS AND MANUEACTURE<br>OR SUPPLY OF THE PRODUCT TO<br>ANYONE IS PROHIBITED | NOTES :-<br>1. ALL DIMENTIONS ARE IN MM<br>2. REMOVEL ALL, BURRS & SHARP<br>EDGES. |
|              |  |   |   |  |
|              |  |   |   |  |
|              |  | 93  |   |  |
|              |  | 126   |   |  |
|              |  | - <sup>0</sup> / <sub>0</sub> - <sup>1</sup> / <sub>0</sub> |   | - X<br>  |
| 3 Hm)        | ( WH E) O'TX91 W                                 | Hole (7mm (3 NOS~)  |   |  |

|             |                            | QTY. 01 Nos.            | ANOULAR ± I"   | REV.No REVISION BY DATE               |
|-------------|----------------------------|-------------------------|--|---------------------------------------|
|             | NEW EXPERIMENTAL           |                         | > 6-30 ± 0.2 >120-315 ± 0.5  |                                       |
|             | INDRAPRASTIA GAS L'ID.     | CHD.By Kymer White 1415 |  |                                       |
| CLIEVY.     |                            | DRN BY                  | OPEN TOLERANCE   |                                       |
| NLN<br>TWOS | NRAWING No. 101/MIS-115    | NAME SIGN. DATE         |  |                                       |
|             |                            | TREATMENT               | OR SUPPLY OF THE PRODUCT TO<br>ANYONE IS PROHIBITED.   | 2. REMOVEL ALL BUNNS & SHAM<br>EDGES. |
|             | Valve Retainer Arrangement | MATERIAL<br>C.STEEL     | THIS DRAWING IS THE PROPERTY<br>OF INDRAPRASTHA GAS LIMITED,<br>UNAUTHORISED DISCLOSURE OF<br>THE CONTENTS AND MANUFACTURE |                                       |
|             | 3                          |                         |  | 4                                     |
|             |                            |                         |  |                                       |
|             |                            |                         |  |                                       |
|             |                            | 67.6 25                 | ۵<br>پرې<br>پرې  |                                       |
|             |                            |                         |  |                                       |
|             |                            |                         |  |                                       |
|             |                            |                         | 69 42  |                                       |
|             |                            |                         |  |                                       |
|             |                            |                         |  |                                       |
|             |                            | - 14.5 -                |  |                                       |
| les         | 20mm Square 4 Holes        | 72.3                    | A.   |                                       |
|             |                            |                         |  |                                       |
|             |                            |                         |  |                                       |





| $\begin{array}{c c} & & & & & & & \\ \hline & & & & & \\ \hline & & & &$ |
|--|
|--|





| SHEET<br>I OF I | DRAWING No. IGL/MIS-111<br>INIDRAPRASTHA GAS LTD.<br>NEW DELHI | OPEN TOLERANCE $DRNBy$ NAMESIGN. $DATE$ 0.5-6 $\pm$ 0.1>30-120 $\pm$ 0.3 $CID.By$ $\mathcal{O}_{0}$ $\mathcal{N}_{0}$ $\mathcal{N}_{0}$ $\mathcal{N}_{0}$ $\mathcal{N}_{0}$ $\mathcal{N}_{0}$ >6-30 $\pm$ 0.2>120-315 $\pm$ 0.5 $APPD.By$ $\mathcal{O}_{0}$ $\mathcal{N}_{0}$ $\mathcal{N}_{0}$ $\mathcal{N}_{0}$ $\mathcal{N}_{0}$ $\mathcal{N}_{0}$ ANGULAR $\pm$ 1° $\mathcal{O}TY$ 01Nos. $\mathcal{O}_{0}$ $\mathcal{O}_{0}$ $\mathcal{O}_{0}$ $\mathcal{O}_{0}$ | REV.No REVISION BY DATE A  |
|-----------------|--|---|--|
|                 | SPARK PLUG REMOVING<br>ARRANGEMENT (CAT)                       | S   | NOTES :-<br>I. ALL DIMENTIONS ARE IN MM.<br>2. REMOVEL ALL BURRS & SHARP<br>EDGES.<br>4 AN |
|                 |  |   |  |
|                 |  | 225   |  |
|                 |  |   |  |
|                 | 30   |   |  |
|                 |  |   |  |
|                 |  |   |  |


| , arrest       | NEW WEIT                | y<br>01 Nos.                | > 6-30 ± 0.2 >120-315 ± 0.5<br>ANGULAR ± 1°   | REV.No REVISION BY DATE  |
|----------------|-------------------------|-----------------------------|---|--|
| SIEFT<br>4 SYS |                         | CHID BY KONGMAN NASP 11/11/ | 0.5-6 ± 0.1 >30-120 ± 0.3   |  |
| NIQ            | DRAWING No. IGL/MIS-112 | DRN RO<br>NAME SIGN. DATE   | OPEN TOLERANCE  |  |
|                | ARRANGEMENT (Waukesha)  | TREATMENT                   | OR SUPPLY OF THE PRODUCT TO<br>ANYONE IS PROHIBITED.  |  |
| )              | CDADT DI IL DENAMINIC   | MATERIAL                    | THIS DRAWING IS THE PROPERTY<br>OF INDEAPRAYTHA GAS LIMITED.<br>UNAUTHORISED DISCLOSURE OF<br>ITS CONTINUES AND MANUFACTURE | NOTES :-<br>1. ALL DIMENTIONS ARE IN NM.<br>2. REMOVEL ALL JURRS & SHARP |
| -              |                         |                             |   |  |
|                |                         |                             |   |  |
|                |                         |                             |   |  |
|                |                         |                             |   |  |
|                |                         |                             |   |  |
|                |                         |                             |   |  |
|                |                         |                             |   |  |
|                |                         |                             |   |  |
|                |                         |                             |   |  |
|                |                         |                             |   |  |
|                |                         |                             |   |  |
|                |                         |                             |   |  |
|                |                         |                             |   |  |
















| 4144 |                 |                                   | QTY. 01 Nos.   | ANGULAR ±1  | NO REVISION BY DATE   | REV.No                                      |
|------|-----------------|-----------------------------------|--|---|---|---|
|      |                 |                                   | No. of the second secon | 1-315 ± 0.5   |   |   |
|      | SHEET<br>1 OT 1 | INDRAPRASTIA GAS LTD.             | Kei Kumar Nige 1 6/15  | $\begin{array}{ c c c c c c c c c c c c c c c c c c c$    |   |   |
|      | NTS.            | DRAWING No. IGL/MIS-117           | NAME SIGN. DATE  |   | 4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4<br>4 |   |
|      |                 | (Comp. side)                      | TREATMENT  | OR SUPPLY OF THE PRODUCT TO<br>ANYONE IS PROHIBITED.      | . REMOVEL ALL BURRS & SHARP<br>EDGES.   | EW<br>EW                                    |
|      |                 |                                   | MATERIAL<br>Carbon Steel   | THIS DRAWING IS THE PROPERTY NOF INDEADARTHA GAS LIMITED. |   | ON  |
|      |                 |                                   |  |   |   | 9999755196686669986889568886956888695688868 |
|      |                 |                                   |  |   | ALT FOR THE THAT A COMP (OTHER STREE)   |   |
|      |                 | REAR VIEW                         | FRONT VIEW   | SIDE VIEW   | <i>w</i> T  | Naraadas (1996) (1996) (1997)               |
|      |                 |                                   |  | 70  |   |   |
|      |                 | 0151                              | 6  | 37  |   |   |
|      |                 |                                   |  |   |   |   |
|      |                 |                                   |  | 95.2<br>95.2  | 204<br>1977<br>1855   |   |
|      |                 |                                   |  |   |   |   |
|      |                 | 093-                              |  |   |   |   |
|      |                 | PCD_OF_118_MM)                    |  |   |   |   |
|      |                 | MIGXI STREPOLES AT YES OF 185 MAN |  |   |   |   |
|      |                 |                                   |  |   |   |   |
|      |                 |                                   |  |   |   |   |
|      |                 |                                   |  |   |   |   |


| W DELLII<br>ASTIIA GAS LTD.<br>HI<br>ASTIIA GAS LTD.<br>HI<br>ASTI | 120 ± 0.3 CHD.By & Y. Kumar N.S. 1 6 5<br>315 ± 0.5 APPD.By .<br>QTY. 01 Nos. | NAWE<br>SIGN, DATE      | LIMITED MATERIAL Carbon Steel | SIDE VIEW<br>FRONT VIEW | 198 185 131.52 100 DE 185 MM  |
|---|---|-------------------------|-------------------------------|-------------------------|---|
|   | INDRA   | DRAWING NO. IGL/MIS-118 |                               | REAR VIEW               | 3/6 RSC<br>4 HOLES AT FCCD OF 185 MM<br>0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |


| REV.No REVISION BY DATE |   |                        |                            | 2. KEMUVEL ALL BURGA & STAAN<br>EDGES. |   |  |  |  |                      | A      | 4.697 | · |  |  |
|-------------------------|---|------------------------|----------------------------|--|---|--|--|--|----------------------|--------|-------|---|--|--|
| ANGULAR                 | $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | OPEN TOLERANCE         |                            | ANYONE IS PROHIBITED.                  | THIS DRAWING IS THE PROPERTY<br>OF INDRAPRASTIKA GAS LIMITED.<br>UNAUTHORISED DISCLOSURE OF<br>ITS CONTENTS AND MANUFACTURE |  |  |  |                      | JEEE - |       |   |  |  |
| QTY. 01 Nos.            | CHD.By Rey Kymar Nr. 16115                            |                        | NAME SIGN. DATE            | TREATMENT                              | MATERIAL<br>C.STEEL   |  |  |  |                      |        |       |   |  |  |
|                         | NDRAPRASTIA GAS LTD.                                  | JIM BELLEVI TOTAL TATI | 011-SIW/ IDI VN DNI/M V dU | 3                                      | Bus Nozal RepairingArrangement  |  |  |  |                      |        |       |   |  |  |
|                         |   |                        | SCALE<br>NTX               |  | $\bigcirc$  |  |  | - Landon and the second se | 4434 (1997)<br>1997) |        |       |   |  |  |


|       | REV.No REVISION BY DATE   | NOTES :-<br>1. ALL DIMENTIONS ARE IN MM.<br>2. REMOVEL ALL BURRS & SHARP<br>EDGES.  |  |
|-------|---|---|--|
|       | OPEN TOLERANCEDRN ByNAMESIGN.DATE0.5-6 $\pm$ 0.1>30-120 $\pm$ 0.3 $CHD.By$ $\mathcal{K}_{\alpha_{1}}$ $\mathcal{K}_{\alpha_{2}}$ $\mathcal{K}_{\alpha_{2}$ $\mathcal{K}_{\alpha_{2}$ $\mathcal{K}_{\alpha_{2}}$ $\mathcal{K}_{\alpha_{2}$ $\mathcal{K}_{\alpha_{2}$ $K$ | THIS DRAWING IS THE PROPERTY<br>OF INDRAFPRASTHA GAS LIMITED.<br>UNAUTHORISED DISCLOSURE OF<br>ITS CONTENTS AND MANUFACTURE<br>OR SUPPLY OF THE PRODUCT TO<br>ANYONE IS PROHIBITED. |  |
|       | DRAWING No. IGL/MIS-120<br>INDRAPRASTHA GAS LTD.<br>NEW DELHI   | Car Nozal RepairingArrangement  |  |
| 9<br> | STATE<br>NTS.<br>SHEET<br>J OF J  |   |  |



































|  |   | 95 55 111 |       |      |                               |            |
|--|---|-----------|-------|------|-------------------------------|------------|
| NOTES :-<br>1. ALL DIMENTIONS ARE IN MM.<br>2. REMOVEL ALL BURRS & SHARP<br>EDGES. | OF INDRAPRASTHA GAS LIMITED.<br>UNAUTHORISED DISCLOSURE OF<br>ITS CONTENTS AND MANUFACTURE<br>OR SUPPLY OF THE PRODUCT TO | MATERIAL  | EN 36 |      | DRIVE GEAR FOR DR GEAR<br>BOX |            |
| 1. ALL DIMENTIONS ARE IN MM.<br>2. REMOVEL ALL BURRS & SHARP                       | OF INDRAPRASTHA GAS LIMITED.<br>UNAUTHORISED DISCLOSURE OF<br>ITS CONTENTS AND MANUFACTURE                                | TREATMENT |       |      | ВОХ                           |            |
| 1. ALL DIMENTIONS ARE IN MM.<br>2. REMOVEL ALL BURRS & SHARP                       | OF INDRAPRASTHA GAS LIMITED.<br>UNAUTHORISED DISCLOSURE OF<br>ITS CONTENTS AND MANUFACTURE<br>OR SUPPLY OF THE PRODUCT TO |           |       | DATE |                               | SCALE NTS. |

