

INDRAPRASTHA GAS LIMITED



TENDER DOCUMENT NO.IGL/ET2/CP/CM18514
SUPPLY OF SAFETY SHOES FOR CONTRACTUAL STAFF OF IGL DEPLOYED AT CNG STATIONS.

REPLY TO PREBID QUERIES

S.NO	Section	Tender Clause.	Page No.	Particulars	Description	Bidder Query	IGL Reply
1	I	Clause 7.0 BIDDER EVALUATION CRITERIA (BEC)	8	7.1 Technical BEC, Point (i)	Bidder should be manufacturer of quoted safety shoes	Requested to consider dealer/distributor in BEC.	Tender Condition prevails.
2	V	Scope of Work	62	Technical Specification of safety shoes Point 1, 3 and Foot Note	1. BRIEF – CE 20345:2011 MARKED SAFETY FOOTWEAR 3. OPERATIVE STANDARDS – EN ISO 20345	Requested to consider BIS certification for safety shoes as the manufacturers in India are mandatorily following BIS standards which is inline with EN standards. Hence, BIS standards should also be incorporated.	Clarification: As, the EN ISO 20345 standards are same as BIS 15298 Pt. 2, the product meeting the requirement of BIS 15298 Pt. 2 shall also be acceptable and hence, the BIS certificate submitted along with the technical bid is also acceptable.
3	V	Section V Scope of Work	62	Technical Specification of safety shoes Point 22 & 23	22. ANTISTATIC PROPERTIES – 100 K OHMS – 1000 M OHMS 23. ELECTRICAL RESISTANCE – 14 KV	Electrical resistance of the antistatic safety shoes depends on various factors & varies with age, surface conditions, climatic conditions etc.	Clarification: The safety shoes to be supplied shall meet the requirements, properties & parameters of “Antistatic Footwear” as per BIS 15298 Part 2/ EN ISO 20345.
4	I	Clause 5.0 Bid Submission Date & Time	7	Bid Submission Date & Time	Bid Submission Date & Time : 16.07.2025 till 1430 IST	Requested to extend the bid submission date by atleast 21 days, as getting the safety shoes tested from NABL accredited government test house shall atleast take 21 days.	Please refer corrigendum no 1 issued, Bid submission is extended till 14.08.2025 till 1430 IST.